

## **Barnum**

Barnum is a retro-inspired bouclé that broadcasts vibes from the 70's. Bouclé is alongside velvet the hottest trend at the international furniture fairs.

## Uses:

Accessories, Contract Upholstery, Upholstery


Width:	140 cm ±2 cm
Composition:	45% Cotton, 19% VISCOS, 15% Wool, 13% Acrylic, 8% Polyamide
Weight (g/m²):	680
Roll length (m):	25
Type:	Yarn dyed
Oeko-Tex Certificate No:	21CX00014
Fire test:	BS 5852-1 Source 0 & 1, Cal TB 117
Martindale:	60000 (ISO 12947-2)
Pilling:	4 (ISO 12945-2)
Colour fastness to rubbing - dry:	4-5 (ISO 105-X12)

Colour fastness to rubbing - wet:	4-5 (ISO 105-X12)
Color Fastness To Light:	5 (ISO 105-B02)
Seam slippage Warp:	7,1 mm (ISO 13936-2)
Seam slippage Weft:	9,8 mm (ISO 13936-2)
Tensile strength Warp:	540 N (ISO 13934-2)
Tensile strength Weft:	640 N (ISO 13934-2)
Tear strength warp:	N.D (ISO 13937-3)
Tear Strength weft:	194,5 N (ISO 13937-3)
Dimensional change Warp:	- 4,8 %
Dimensional change Weft:	- 3,1 %











Fabric Barnum 1 Off White 1025001



Fabric Barnum 12 Warm grey 1025002



Fabric Barnum 13 Anthracite 1025003



Fabric Barnum 11 Brown 1025005



Fabric Barnum 14 Silver 1025006



Fabric Barnum 9 Pine 1025007



Fabric Barnum 5 Ocher 1025008



Fabric Barnum 3 Hemp 1025009



Fabric Barnum 10 Dark taupe 1025010



Fabric Barnum 4 Juta 1025011



Fabric Barnum 2 Sand 1025012



Fabric Barnum 8 Medium green 1025013



Fabric Barnum 19 Ocean 1025014



Fabric Barnum 24 Lana 1025015



Fabric Barnum 23 Rust 1025016



Fabric Barnum 20 Petrol 1025017

## You control your data

We and our partners use technologies, including cookies, to collect information about you for various purposes, including:

- Necessary makes the website usable.
- Statistics help us understand how visitors interact with our website.
- Marketing Used by advertisers to help us display relevant ads in other channels.

By clicking 'Accept All' you consent to all these purposes. You can also choose to indicate what purposes you will consent to using the custom selections and then click 'Accept selected'.

